

Health & Safety Information

Key Clamp Fittings have no specific operating instructions once they have been installed. However, there is a need for certain Health and Safety notes to be considered at all times during their use and ongoing maintenance.

When routine maintenance is being undertaken there is a requirement for the customer to observe the required Health & Safety information for the materials / products being used.

Key Clamp Store identify that it is the Customer's responsibility to ensure that full care, responsibility, correct operation / use, and training are adhered to at all times.

Key Clamp Store cannot accept any responsibility for any damage or injury to persons or property as a result of not using the product in the proper, correct and intended manner.

Key Clamp Store should be contacted in the first instance for any concerns relating to product failure or quality.

Maintenance & Repair

Ensure that the system is in good physical condition, checking against a plan where necessary.

Ensure that the system has not been modified, added to, or tampered with.

Ensure that the grub screws on the fittings are present, greased (where necessary) and torqued (tightened) as required.

Ensure that fixings to walls/floors and other surfaces are present and tightened as required.

Ensure that all components are in good shape, paying attention to the finish;-

Galvanised coatings/finishes should be free from rust. (see repair advice below)

Powdercoated items should be intact and not flaking or damaged exposing steel or rust. (see repair advice below)

If the galvanised finish is slightly damaged or showing signs of rust, we advise a removal of oxidised material using a wire brush or similar and a protective paint or coating applied to prevent further damage.

If a powdercoated finish is slightly damaged or showing signs of degradation, we recommend removing loose material, and using a suitable remedial spray paint to restore the protective coating.

If any of the damage is severe, we recommend replacing the component. This should be noted on the record.

Please note: This is a general maintenance guide for systems that have been designed using parts purchased from us. This is not site or system specific and is to be used as a guide only.

Key Clamp Inspection & Maintenance Record

Project / Site Name:

System Location:

Client / Building Owner:

Installer (if known):

Date of Installation (if known):

Maintenance Log:

Inspection Date	Fixings Secure?	Condition Checked?	Action Required?	Action Taken (If Any)	Inspector Initials

Overall System Condition:

Good Satisfactory Requires Attention

Notes / Comments:

I confirm that the Key Clamp system has been inspected in accordance with the Key Clamp Operations, Maintenance & Health & Safety guidance.

Inspector Name:

Signature:

Date:

Next Inspection Due: